

# PSYCHOLOGICAL FIRST AID


Getting through trauma together....



 Understand the psychological impact of disasters and recognize the common reactions in self and others.

• Define the goal and core actions of Psychological First Aid (PFA).

 Prepare to provide immediate support to residents and coworkers experiencing disasterrelated stress.



# STRESS AND DISASTERS

**MODULE I** 



#### WHAT IS A "DISASTER"?

Wide - scale emergency events that have a severe impact on a community

#### **DISASTERS** -

- Traumatize large populations of people at once
- Can result in epidemics of survivor guilt and other psychological symptoms
- Create chaotic environment
- Multiple stressors
- A smaller event that impacts just one household or person can be a disaster for the survivors

# IMPACT OF DISASTERS

For a community – depletion of resources and slow recovery

For people –

- Everyone who experiences a disaster is affected in some way – Even the helpers!
- People pull together
- Stress and grief are common reactions to uncommon situations



### **REACTIONS**

- Some people will have severe reactions following a disaster event
- Most people recover without professional treatment
- Survivors often to do not seek or accept help, especially from helpers from outside the community

#### COMMON REACTIONS TO DISASTER STRESS

Behavioral	Emotional	Physical	Cognitive
<ul> <li>□ Extreme disorientation</li> <li>□ Excessive drug, alcohol, or prescription drug use</li> <li>□ Isolation/withdrawal</li> <li>□ High risk behavior</li> <li>□ Regressive behavior</li> <li>□ Separation anxiety</li> <li>□ Violent behavior</li> <li>□ Maladaptive coping</li> <li>□ Other</li> </ul>	<ul> <li>□ Acute stress reactions</li> <li>□ Acute grief reactions</li> <li>□ Sadness, tearfulness</li> <li>□ Irritability, anger</li> <li>□ Feeling anxious, fearful</li> <li>□ Despair, hopelessness</li> <li>□ Feelings of guilt or shame</li> <li>□ Feeling emotionally numb, disconnected</li> <li>□ Other</li> </ul>	<ul> <li>☐ Headaches</li> <li>☐ Stomachaches</li> <li>☐ Sleep difficulties</li> <li>☐ Difficulty eating</li> <li>☐ Worsening of health conditions</li> <li>☐ Fatigue/exhaustion</li> <li>☐ Chronic agitation</li> <li>☐ Other</li> </ul>	<ul> <li>□ Inability to accept/cope with death of loved one(s)</li> <li>□ Distressing dreams or nightmares</li> <li>□ Intrusive thoughts or images</li> <li>□ Difficulty concentrating</li> <li>□ Difficulty remembering</li> <li>□ Difficulty making decisions</li> <li>□ Preoccupation with death/destruction</li> <li>□ Other</li> </ul>



#### HOW LONG DO THESE THOUGHTS AND FEELINGS LAST?

- Most people exposed to disasters recover fully from the psychological affects within one year
- The most intense reactions will lessen over the first few weeks
- If they persist over 4-6 weeks or are so bad they impair functioning then professional help is needed.

FACTORS THAT
MAY INDICATE
THAT
PROFESSIONAL
HELP IS NEEDED

"3 Rs"

REACTIONS – Severe confusion, impaired thinking, distress that cant be calmed, expressed thoughts of self harm or harm to others

RISK – Those that lost a loved one, were injured, believed they were going to die, or saw death of others, extreme community destruction

RESILIENCY- Lack good coping skills, has no family support, has experienced other recent traumas prior to the disaster

# CHILDREN AND ELDERS CAN BE PARTICULARY SENSITIVE



To changes in their routine



Separation from familiar environments



Separation from familiar people



Watch for delayed reactions of several hours to a few days




## MODULE 1 QUIZ

- 1. All people are impacted by a disaster, even those that come to the area help others.
  - True/False
- 2. All people need professional mental health services after a disaster experience
  - True/False



# MODULE 1 QUIZ (cont.)

- 3. Common reactions after a disaster include:
  - a. Feelings of guilt, anger, hopelessness or a loss of control.
  - b. Difficulty sleeping, remembering, or paying attention
  - c. Headaches, digestive problems, dizziness, tightness in chest
  - d. All of the above
- 4. What does the "3 Rs" stand for?
  - a. Reactions, Risk factors, Resilience factors
  - b. Respect, Reassurance, Regular factors
  - c. Routine, Respect, Rest factors
  - d. None of the above



# PSYCHOLOGICAL FIRST AID

**MODULE 2** 

## PSYCHOLOGICAL FIRST AID (PFA)



#### Is an approach that:

- Eases suffering of disaster survivors: both physical and emotional
- Improves survivors short term functioning
- Promotes emotional recovery after a disaster event



## THE GOAL OF PFA

Is to promote an environment of:

- Safety
- Calm
- Connectiveness
- Self-reliance
- Hope


# CORE ACTIONS OF PFA

- Helper self-care
- Connect with survivors
- Safety and comfort
- Stabilization

Info gathering

- Offer practical assistance
- Connect with social supports
- Info on coping
- Link to collaborative services

TAKE CARE
OF
YOURSELF!





## MAKE A CONNECTION WITH SURVIVORS

- Make the first move.
- Intro self and ask permission to talk
- Ask about their immediate needs
- Present with an air of patience, compassion, and calm
- Respect their privacy by finding a quiet place to talk
- Don't approach too closely or touch them if you are not familiar with their cultural background or personal preferences
- Protect their confidentiality by sharing their info appropriately



- Make sure the environment is safe
- Help survivors meet their basic immediate needs
- Offer physical comforts (food, water, blanket, bathroom)
- Ask about their needs for eye glasses, medications, hearing aids
- Protect them from additional trauma and trauma reminders (sights and sounds of danger, destruction or suffering)



## SEEK IMMEDIATE PROFESSIONAL HELP IF:

- The person states a desire to harm themselves or others
- The person shows signs of shock:
  - Clammy ashen skin
  - Rapid breathing and pulse
  - Nausea /vomiting
  - Faintness, dizziness
  - Extreme agitation



- Use a calm and soothing voice
- Give realistic reassurance
  - What you are feeling is understandable
  - We are here to help
- Calming techniques include:
  - Cool washcloth to forehead
  - Stretching, head roll
  - Clench and release fists
  - Focus on slow deep breaths
- Provide repeated, simple and accurate information
  - Rumors and the unknown increase stress


# INFORMATION GATHERING

- Gather information for identification of their needs
- Find out the nature and severity of the disaster
  - Those that have been injured or witnessed injury or death are at greater risk for a severe and prolonged distress reaction
- Ask "What are your immediate concerns?
- Listen carefully to identify their physical, medical, emotional needs



# INFO GATHERING (Cont.)

- Don't give simple reassurances like "Everything will be ok"
- Listen in a patient and caring way
- Don't pry or force people to share their stories
  - Some people want to talk and some don't
  - Be patient, and come back a little later if the survivor is not ready to talk



- Meet immediate physical needs if possible
- Clarify what they have told you about their needs and concerns
  - "So I heard you say that you are most worried about..."
- Help them problem solve and develop an action plan for next steps
- Assist them in accomplishing those steps by:
  - Connecting them with internal or external resources
  - Communicating their needs to appropriate members of your team or community

#### CONNECTION WITH SOCIAL SUPPORTS

- Very important to recovery
- Help survivors contact their family, friends, clergy
- Sometimes they are reluctant to reach out to loved ones
  - Don't want to be a burden
  - Embarrassed or feel guilty about needing help
- Help them to work through these concerns
- Assist them to contact a support person they trust when they are ready

Provide Information on Coping



"Its normal to feel this way....."

## Common Stress Reactions Following Disaster Events

#### **Behavioral/Emotional**

- Disorientation/numbness
- Grief
- Feeling anxious and fearful
- Despair/hopelessness
- Feelings of guilt
- Feelings of anger
- Isolation/withdrawl

#### **Physical/Cognitive**

- Headaches, stomach aches
- Difficulty sleeping/eating
- Exhaustion
- Bad dreams
- Intrusive thoughts/images
- Difficulty concentrating, remembering, making decisions

# EXPLAIN THAT THESE FEELINGS ARE NORMAL

#### DO SAY

- "You are not going crazy"
- "These kinds of reactions are normal after going through something like this"
- "I have some suggestions for techniques to help you feel more calm. Would you like to hear them?"

#### DON"T SAY

- "You should be feeling better tomorrow"
- "Cheer up"
- "Maybe you better see a doctor"
- "What you need is....."
- "I know what it is like"

# Coping Techniques To Suggest

- Deep slow breaths
- Focus on inhale/exhale
- Write in a journal
- Talk to friends/loved ones
- Stretch exercises
- Listen to music
- Reach out for spiritual support
- Warm bath or shower
- Make a list of recovery actions

- Maintain a healthy routine
  - Rest
  - Eat well
  - Drink fluids
  - Exercise
  - Avoid drugs, alcohol, or binge eating
  - Set a small goal for each day related to recovery actions and check off list when done

## Link to Collaborative Services

- Help survivors connect to services related to their needs
  - Medical
  - Financial
  - Spiritual
  - Recovery/replacement assistance related to loss
  - Remember that for most people, PFA is enough
  - Recognize those who need professional help with stress by using the "3 Rs"



## MODULE 2 QUIZ

- 1. The purpose of PFA is to:
  - a. Prepare you to treat injuries after a disaster.
  - b. Enable you to persuade someone not to harm themselves after a disaster.
  - c. Enable to you to provide comfort, care and support to survivors of disasters.
  - d. None of the above.
  - 2. Normal survivors are able to function just fine once the disaster is over and they are safe.
  - True/False



# QUIZ Module 2 (cont.)

- 3. What are some examples of effective coping techniques?
- a. Rest sufficiently, eat well, drink fluids
- Keep feelings to yourself, avoid friends and loved ones
- c. Focus on slow, deep breaths
- d. Have a few alcoholic beverages
- e. a and c.



## PRACTICING PSYCHOLOGICAL FIRST AID

**MODULE 3** 



#### **BODY LANGUAGE**

#### • DO

- Sit facing the person or beside
- Give eye contact
- Show attention by leaning forward

#### • DON'T

- Sit back with folded arms
- Look around distractedly while person is talking
- Leave while they are talking to you



#### What to Say

- Do say
  - Can we talk about what happened?
  - This must be difficult for you.
  - Is there anything I can do for you right now?
  - Its normal to feel this way after something like that.
  - I am here to help you if I can.



#### What NOT to say

- I know what you are going through.
- Don't feel so bad.
- You are strong and will get through this.
- Don't cry, cheer up.
- Its God's will.
- It could have been worse.